ETQ® Flex

ENHANCED TURF QUALITY

- A stable colorant complex that has been proven to show improved visual quality on turfgrass exposed to abiotic stress.
- Used to improve heat tolerance during peak drought periods.
- Designed to be tank mixed with foliar fertilizers and other plant protectant products.
- For best results, apply prior, during or at recovery from drought stress.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID	
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	
Emergency phone numbers	(800) 424-9300 CHEMTREC (transportation and spills) (800) 222-1222 Poison Control Center

NET CONTENT:
2.5 GALLON (9.46 Liters)

Manufactured by:
Sipcam Agro USA
2525 Meridian Parkway, Suite 100
Durham, NC 27713

SIPCAM AGRO
USA

ETQ20240923

Job 238338

238338 ETQ Flex 2_5g LF.indd 2 9/27/24 9:24 AM

PRECAUTIONARY STATEMENTS

DO NOT get in eyes, on skin, or on clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. This product does not meet the regulatory definition of a hazardous chemical under 29 CFR 1910.1200. However, good industrial hygiene practices should be used in the manufacture and handling of the product.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

All handlers should wear:

- Eye protection
- Chemical-resistant gloves made of any waterproof material

PRODUCT DESCRIPTION

ETQ Flex is a stable complex designed to enhance and extend the aesthetic appearance of the turf site alone or in conjunction with a pesticide, fungicide, or nutritional product application.

For optimum turf quality, **ETQ Flex** should be used in conjunction with turf management practices that promote good turf health.

APPLICATION RATE

For optimal performance, use 0.34 gals – 0.85 gals (1.0 – 2.5 oz /1,000 sq. feet) per application of **ETQ Flex** per acre of turf.

APPLICATION SCHEDULE

For spray intervals of 14 days – apply at least 1.0 oz/1000 sq. feet
For spray intervals of 21 days – apply at least 2.5 oz/1000 sq. feet

DIRECTIONS FOR USE

1. Fill the sprayer tank with one-half to two-thirds volume of water.
2. With agitation on and following standard order of addition, add **ETQ Flex** after dry flowable/dispersible granules and before water-soluble pesticide formulations.
3. Allow **ETQ Flex** to fully disperse and mix into the spray solution before adding additional products.
4. Make application of the mixture based on the pesticide manufacturer's label requirements.
5. After application, clean the sprayer tank as per the pesticide manufacturer's instructions.

Always follow label directions.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Do not reuse this container. Store in original container only.

Triple rinse promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Drain 10 seconds after the flow begins to drip. Repeat this procedure two more times, then offer for recycling or reconditioning if possible or dispose of by other procedures approved by Federal, state, and local laws and regulations.

WARRANTY AND LIMITATION OF DAMAGES

CONDITIONS OF SALE: To the extent consistent with applicable law, Sipcam Agro USA, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Sipcam Agro USA, Inc. SIPCAM AGRO USA, INC. DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED. To the extent consistent with applicable law, SIPCAM AGRO USA, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, AND SIPCAM AGRO USA, INC.'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER AND USER ACKNOWLEDGE AND ASSUME ALL RISKS AND LIABILITY RESULTING FROM HANDLING, STORAGE AND USE OF THIS PRODUCT. SIPCAM AGRO USA, INC. DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.

ETQ® Flex is a registered trademark of Sipcam Agro USA, Inc.
© 2024 Sipcam Agro USA, Inc. All rights reserved.

ETQ® Flex

ENHANCED TURF QUALITY

- A stable colorant complex that has been proven to show improved visual quality on turfgrass exposed to abiotic stress.
- Used to improve heat tolerance during peak drought periods.
- Designed to be tank mixed with foliar fertilizers and other plant protectant products.
- For best results, apply prior, during or at recovery from drought stress.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID	
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	
Emergency phone numbers	(800) 424-9300 CHEMTREC (transportation and spills) (800) 222-1222 Poison Control Center

NET CONTENT:
2.5 GALLON (9.46 Liters)

Manufactured by:
Sipcam Agro USA
2525 Meridian Parkway, Suite 100
Durham, NC 27713

SIPCAM AGRO
USA

ETQ20240923

PF 238338

238338 ETQ Flex 2_5g BL.indd 1 9/27/24 9:23 AM

PROOF

THIS PROOF IS TO BE CHECKED FOR ACCURACY

Please review and approve **Text, Spelling, Copy Placement, Size, Shape, Colors** and **Dieline.**

Authorized signature accepts responsibility for accuracy of all copy, color break and artwork. Cimarron Label is not liable for any discrepancies subsequently identified.

PLEASE NOTE: Due to color variance between printers/monitors, the colors represented by this proof cannot be deemed accurate. Please refer to a color matching system such as the Pantone Matching System for a truer representation of spot colors.

THIS PROOF IS NOT ACCURATE FOR COLOR-MATCH.

Dieline does not print.

Cimarron Label
inovar

4201 North Westport Ave. • Sioux Falls, SD 57107
Phone: (605) 978-0451 • Fax: (605) 978-0463

DATE	JOB NUMBER	CUSTOMER
9/27/24	238338	SIPCAM
LABEL SIZE	**LEAFLET FOLDED SIZE**	**LEAFLET FLAT SIZE**
6.75" x 6.75"	6.75" x 6.0"	6.75" x 6.0
LABEL COLORS	**LEAFLET "OUT" COLORS**	**LEAFLET "IN" COLORS**
BLK, CYAN, MAG, YELLOW	BLK, CYAN, MAG, YELLOW	BLK
PATTERN VARNISH: ☒ YES ☐ NO		

Form: CS 006L - 11/8/2011

☐ ***ARTWORK IS APPROVED*** ☐ ***REVISED PROOF NEEDED***

WE CANNOT PROCESS THIS ORDER WITHOUT AN AUTHORIZED SIGNATURE

Signed_____ **Date**_____